

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

LC
12/17/10
Authorization for this examiner's amendment was given in a telephone interview with Attorney Lock See Yu-Jahnes on 10/19/2010.

The application has been amended as follows:

Claims 7 and 9 are canceled.

Claims 1 should read as,

1. (Currently amended) A multi-function image processing apparatus that includes a plurality of image processing units that perform a plurality of image processing functions, including a printer unit that performs a printer function and a scanner unit that performs a scanner function, the apparatus comprising:

an IP address generator connected to an Internet Protocol Version 6 (IPv6) router on a network that repeatedly acquires a prefix information from the IPv6 router and generates a plurality of IP addresses, based on the acquired prefix information, wherein each of the IP addresses is unique to a different one of the plurality of image

Art Unit: 2625

processing units, and wherein a number of the IP addresses is equal to the number of the image processing units; and

a controller that communicates with at least one appliance on the network using the IP addresses generated for the image processing units and operates each of the image processing units to perform communications between each of the image processing units and the at least one appliance, and that executes a transfer task for transferring packet data,

wherein the transfer task for transferring packet data is managed by an Operating System (OS) using buffer areas allocated to the printer unit and the scanner unit, respectively.

Claim 2 should read as,

LC
12/17/10
2. (Currently amended) The multi-function image processing apparatus according to claim 1, wherein the controller performs the plurality of image processing functions by executing, on a time-division basis using a task switchover, a plurality of control task programs corresponding respectively to the plurality of image processing functions, and performs the communications using the IP addresses generated for the plurality of image processing units based on the control task program, taking as a unit a control task program corresponding to an image processing function of the plurality of image processing functions.

Claim 3 should read as,

Art Unit: 2625

3. (Currently amended) A control method performed by a multi-function image processing apparatus that includes a plurality of image processing units that perform a plurality of image processing functions, including a printer unit that performs a printer function and a scanner unit that performs a scanner function, the method comprising:

an IP address generating step of establishing a connection to an Internet Protocol version 6 (IPv6) router on a network, repeatedly acquiring prefix information from the IPv6 router, and generating a plurality of IP addresses, based on the acquired prefix information, wherein each of the IP addresses is unique to a different one of the plurality of image processing units, and wherein a number of IP address is equal to a number of image processing units;

a controlling step of performing a communication with at least one appliance on the network using the IP addresses generated from the image processing units and operating each of the image processing units, so that the controlling step executes communications between each of the image processing unit and the at least one appliance, and

an executing step of executing a transfer task for transferring packet data managed by the Operating System (OS) using buffer areas allocated to the printer unit and the scanner unit, respectively.

Claim 4 should read as,

4. (Previously presented) The control method according to claim 3, wherein the controlling step involves executing the plurality of image processing functions by

LC
12/17/10

Art Unit: 2625

executing, on a time-division basis using a task switchover, control task programs corresponding respectively to the plurality of image processing functions, and performing the communications using the IP addresses generated for the plurality of image processing functions based on the control task program, taking as a unit a control task program corresponding to one of the plurality of image processing functions.

Claim 5 should read as,

LC
12/17/10
5. (Currently amended) A non-transitory computer-readable medium storing a computer-executable control program for performing a method of controlling a multi-function image processing apparatus that includes a plurality of image processing units that perform a plurality of image processing functions, including a printer unit that performs a printer function and a scanner unit that performs a scanner function, the method comprising:

an IP address generating step of establishing a connection to an Internet Protocol version 6 (IPv6) router on a network, repeatedly acquiring prefix information from the IPv6 router, and generating a plurality of IP addresses, based on the acquired prefix information, wherein each of the IP addresses is unique to a different one of the plurality of image processing functions, and wherein a number of the plurality of IP addresses is equal to a number of the plurality of image processing units;

a controlling step of performing a communication with at least one appliance on the network using the IP addresses generated for the image processing units and operating each of the image processing units, so that communication between tech of

Art Unit: 2625

the image processing units and the at least one appliance are performed in the controlling step, and

an executing step of executing a transfer task for transferring packed data managed by an Operating System (OS) using buffer areas allocated to the printer unit and the scanner unit, respectively.

Claim 6 should read as,

6. (Currently amended) The non-transitory computer-readable medium according to claim 5, wherein the plurality of image processing functions are performed in the controlling step by executing, on a time-division basis using a task switchover, a plurality of control task programs corresponding respectively to the plurality of image processing functions, and performing the communications using the IP addresses generated for the plurality of image processing functions based on the control task program, taking as a unit a control task program corresponding to one of the plurality of image processing functions.

Claim 8 should read as,

8. (Currently amended) The multi-function image processing apparatus according to claim 1, wherein the IP address generator sends each generated IP address to the router to check for duplication of the IP address, and, if the IP address is a duplicate, the IP address generator generates an IP address different from the duplicate IP address based on the prefix information.

Art Unit: 2625

Claims 10 should read as,

10 (Previously presented) The method according to claim 3, wherein IP address generating step includes sending each the generated IP address to the router to check for duplication of the IP address, and, if the IP address is a duplicate, the IP address generating step includes generating an IP address different from the duplicate IP address based on the prefix information.

Allowable Subject Matter

2. Claims 1-6, 8 and 10 are allowed. The following is a statement of reasons for the indication of allowable subject matter: Claim 1 is directed to a multi-function image processing apparatus that is connected to the an IPv6 router on a network that repeatedly acquired prefix information and generates a plurality of IP addresses, based on the acquired prefix information, wherein each of the IP address is unique and equal to a different one of the plurality of image processing units; and a controller that communicates with at least one appliance on the network using the IP addresses generated, that executes a transfer task, which is managed by an OS using buffer areas allocated to the printer unit and the scanner unit, for transferring packet data to the image processing units. The most pertinent prior art is Lam et al. (US Publication Number 2003/0142683 A1). The prior art made of record does not disclose a multi-function image processing apparatus that is connected to the an IPv6 router on a network that repeatedly acquired prefix information and generates a plurality of IP